




Monofocal Auto-Iris Lens





| Model | B2514E (C22527) | | B5018E (C25018) | | B7518AE (C27515) | |
|--------------------------|---|--------|---|-------|------------------|--|
| Format Size | 1 | | 1 | | 1 | |
| Focal Length | 25.0mm | | 50.0mm | | 75.0mm | |
| Max. Aperture Ratio | 1:1.4 | | 1:1.8 | | 1:1.8 | |
| Iris Range | 1.4~360 | | 1.8~360 | | 1.8~360 | |
| Mount | C | | C | | C | |
| Horizontal Angle of View | 1/4 format | 8.23° | 4.13° | 2.74° | | |
| | 1/3 format | 10.97° | 5.50° | 3.65° | | |
| | 1/2 format | 14.62° | 7.32° | 4.87° | | |
| | 2/3 format | 20.09° | 10.04° | 6.69° | | |
| Min. Object Distance | 0.9m | | 1.0m | | 2.5m | |
| Back Focal Length | 14.98mm | | 31.70mm | | 29.08mm | |
| Filter Size | 43mm P=0.75mm | | 49mm P=0.75mm | | 49mm P=0.75mm | |
| Dimensions | 46.5×50.5×51.8mm | | 62×51mm | | 62×70.5mm | |
| Weight | 140g | | 230g | | 300g | |
| Remarks | Video Iris Manual Override: B2514ER (C22526) | | Video Iris Manual Override: B5018ER (C25017) | | Video Iris | |



Pinhole Lens



| Model | TS420PE (C70403) | | H620PE (C60626) | |
|--------------------------|------------------|--------|-----------------|--|
| Format Size | 1/3 | | 1/2 | |
| Focal Length | 4.0mm | | 6.2mm | |
| Max. Aperture Ratio | 1:2.0 | | 1:2.0 | |
| Iris Range | 2.0-64 | | 2.0~300 | |
| Mount | CS | | C | |
| Horizontal Angle of View | 1/4 format | 51.24° | 32.44° | |
| | 1/3 format | 68.47° | 42.82° | |
| | 1/2 format | — | 56.12° | |
| | 2/3 format | — | — | |
| Min. Object Distance | 0.3m | | 0.3m | |
| Back Focal Length | 8.55mm | | 14.23mm | |
| Filter Size | — | | — | |
| Dimensions | 36.5×42.3×65.9 | | 39×45.5×83.2mm | |
| Weight | 79g | | 100g | |
| Remarks | DC Iris | | Video & DC Iris | |



| MODEL | Focal length (mm) | Iris range | Mount | Horizontal Angle of View (°) | | | | Filter size | Dimensions (D×L) (W×H×L) mm | Weight (g) | Remarks | Page |
|-------|-------------------|------------|-------|------------------------------|------------|------------|------------|-------------|-----------------------------|------------|---------|------|
| | | | | 1/4 format | 1/3 format | 1/2 format | 2/3 format | | | | | |

● Monofocal Manual Iris Lens

1/2 format

| | | | | | | | | | | | | |
|-----------------|------|--------|---|-------|-------|-------|---|------------|---------|-----|------------|---|
| H416 (C60402) | 4.2 | 1.6-C | C | 47.87 | 64.27 | 86.77 | — | — | 42×43.5 | 120 | Lock Screw | 6 |
| H612A (C60607) | 6.0 | 1.2-C | C | 32.97 | 43.55 | 56.93 | — | 40.5 P=0.5 | 42×46 | 125 | Lock Screw | 6 |
| H1212B (C61215) | 12.0 | 1.2-22 | C | 16.93 | 22.60 | 30.18 | — | 27.0 P=0.5 | 30×35.5 | 67 | Lock Screw | 6 |

2/3, 1 format

| | | | | | | | | | | | | |
|-------------------|------|--------|---|-------|-------|-------|-------|-------------|-----------|-----|------------|---|
| C418DX (C30405) | 4.8 | 1.8-C | C | 41.68 | 55.11 | 72.37 | 96.36 | — | 40.5×35.5 | 105 | Lock Screw | 6 |
| C815B (C30811) | 8.5 | 1.5-C | C | 24.02 | 31.87 | 42.09 | 56.49 | 40.5 P=0.5 | 42×40 | 120 | Lock Screw | 6 |
| B1214D-2 (C21211) | 12.5 | 1.4-C | C | 16.21 | 21.53 | 28.51 | 38.65 | 40.5 P=0.5 | 42×50 | 135 | Lock Screw | 6 |
| B1218A (C21228) | 12.5 | 1.8-C | C | 16.53 | 21.97 | 29.12 | 39.56 | 40.5 P=0.5 | 42×40 | 95 | Lock Screw | 7 |
| C1614A (C31630) | 16.0 | 1.4-22 | C | 12.70 | 16.91 | 22.48 | 30.72 | 27.0 P=0.5 | 30×33 | 58 | Lock Screw | 7 |
| B2514D (C22525) | 25.0 | 1.4-22 | C | 8.23 | 10.97 | 14.62 | 20.10 | 27.0 P=0.5 | 30×37.3 | 76 | Lock Screw | 7 |
| B2518 (C22516) | 25.0 | 1.8-C | C | 8.23 | 10.95 | 14.55 | 19.87 | 40.5 P=0.5 | 42×40 | 87 | Lock Screw | 7 |
| B5014A (C25011) | 50.0 | 1.4-C | C | 4.13 | 5.50 | 7.32 | 10.04 | 46.0 P=0.75 | 48×48 | 180 | Lock Screw | 7 |
| B7514C (C27509) | 75.0 | 1.4-C | C | 2.75 | 3.67 | 4.90 | 6.75 | 58.0 P=0.75 | 62×79 | 450 | Lock Screw | 7 |

● Machine Vision Mega-Pixel Lens

1/2 format

| | | | | | | | | | | | | |
|------------------|------|--------|---|-------|-------|-------|---|------------|-----------|----|------------|---|
| H1214-M (C61232) | 12.0 | 1.4-16 | C | 16.49 | 21.88 | 28.91 | — | 27.0 P=0.5 | 29.5×28.5 | 55 | Lock Screw | 8 |
|------------------|------|--------|---|-------|-------|-------|---|------------|-----------|----|------------|---|

2/3 format

| | | | | | | | | | | | | |
|------------------|------|--------|---|-------|-------|-------|-------|------------|-----------|-----|------------|---|
| C1614-M (C31634) | 16.0 | 1.4-16 | C | 12.86 | 17.11 | 22.72 | 30.97 | 27.0 P=0.5 | 29.5×33.2 | 63 | Lock Screw | 8 |
| C2514-M (C32500) | 25.0 | 1.4-16 | C | 8.24 | 10.97 | 14.60 | 20.00 | 27.0 P=0.5 | 29.5×32 | 55 | Lock Screw | 8 |
| C3516-M (C33500) | 35.0 | 1.6-16 | C | 6.07 | 8.09 | 10.76 | 14.76 | 27.0 P=0.5 | 29.5×35.4 | 64 | Lock Screw | 8 |
| C5028-M (C35001) | 50.0 | 2.8-22 | C | 4.12 | 5.50 | 7.32 | 10.05 | 27.0 P=0.5 | 29.5×34 | 55 | Lock Screw | 8 |
| C7528-M (C37500) | 75.0 | 2.8-32 | C | 2.83 | 3.77 | 5.03 | 6.90 | 30.5 P=0.5 | 34×59.6 | 125 | Lock Screw | 8 |

● Line-Scan Lens

| | | | | | | | | | | | |
|------------------|------|--------|---|--------------------------|--|--|-----------|---------|-----|------------------------------|-----|
| YF3528 (C52915F) | 35.0 | 2.8-22 | F | 64.4 (45mm Image Format) | | | 62 P=0.75 | 72×56.8 | 440 | Not for photographic cameras | 9 |
| YK3528 (C52915K) | 35.0 | 2.8-22 | K | 64.4 (45mm Image Format) | | | 62 P=0.75 | 72×57.8 | 440 | Not for photographic cameras | (9) |
| YF5028 (C52893F) | 50.0 | 2.8-22 | F | 47.6 (45mm Image Format) | | | 62 P=0.75 | 72×56.8 | 440 | Not for photographic cameras | 9 |
| YK5028 (C52893K) | 50.0 | 2.8-22 | K | 47.6 (45mm Image Format) | | | 62 P=0.75 | 72×57.8 | 440 | Not for photographic cameras | (9) |

● UV Lens (Ultraviolet Ray)

1/2 format

| | | | | | | | | | | | | |
|-------------------|------|--------|---|------|-------|-------|---|----------|---------|----|------------------|---|
| H2520-UV (C62500) | 25.0 | 2.0-16 | C | 8.24 | 10.98 | 14.62 | — | 27 P=0.5 | 29.5×46 | 78 | 200nm-1000nm Ray | 9 |
|-------------------|------|--------|---|------|-------|-------|---|----------|---------|----|------------------|---|

1 format

| | | | | | | | | | | | | |
|-------------------|------|--------|---|------|-------|-------|-------|------------|------------|-----|-----------------|---|
| B2528-UV (C91699) | 25.0 | 2.8-16 | C | 8.30 | 11.10 | 14.80 | 20.40 | 25.5 P=0.5 | 30×25.4 | 33 | 230nm-800nm Ray | 9 |
| B7838-UV (C91698) | 78.0 | 3.8-16 | C | 2.70 | 3.50 | 4.70 | 6.50 | 49 P=0.75 | 62.5×109.3 | 446 | | 9 |

● Monofocal Auto-Iris Lens

1/3 format

| | | | | | | | | | | | | |
|-----------------|-----|---------|----|-------|-------|---|---|---|----------------|----|---------|----|
| TS212E (C70210) | 2.8 | 1.2-200 | CS | 71.54 | 94.28 | — | — | — | 36.8×43.5×36.3 | 54 | DC Iris | 10 |
| TS412E (C70406) | 4.0 | 1.2-200 | CS | 49.18 | 63.89 | — | — | — | 36.8×43.5×33.8 | 49 | DC Iris | 10 |
| TS812E (C70804) | 8.0 | 1.2-200 | CS | 25.05 | 33.33 | — | — | — | 36.8×43.5×33.8 | 44 | DC Iris | 10 |

1/2 format

| | | | | | | | | | | | | |
|------------------|------|---------|----|-------|-------|-------|---|-----------|----------------|-----|------------|------|
| HS316E (C60309) | 3.7 | 1.6-300 | CS | 53.50 | 70.96 | 93.58 | — | 34 P=0.5 | 42.8×47.1×36.5 | 57 | DC Iris | 10 |
| HS614E (C60630) | 6.0 | 1.4-300 | CS | 33.83 | 44.52 | 57.79 | — | 34 P=0.5 | 42.8×47.1×36.5 | 60 | DC Iris | 10 |
| HS1214E (C61227) | 12.0 | 1.4-300 | CS | 16.52 | 22.03 | 29.38 | — | 34 P=0.5 | 42.8×47.1×36.5 | 46 | DC Iris | 10 |
| H416E (C60405) | 4.2 | 1.6-360 | C | 47.87 | 64.27 | 86.77 | — | — | 46.5×50.5×45 | 135 | Video Iris | 11 |
| H416ER (C60404) | 4.2 | 1.6-360 | C | 47.90 | 64.30 | 86.78 | — | — | 46.5×50.5×45 | 135 | Video Iris | (11) |
| H612E (C60625) | 6.0 | 1.2-360 | C | 32.97 | 43.55 | 56.93 | — | 43 P=0.75 | 46.5×50.5×51.1 | 140 | Video Iris | 11 |
| H612ER (C60624) | 6.0 | 1.2-360 | C | 32.96 | 43.54 | 56.91 | — | 43 P=0.75 | 46.5×50.5×51.1 | 140 | Video Iris | (11) |
| H1212E (C61220) | 12.0 | 1.2-360 | C | 16.94 | 22.60 | 30.19 | — | 43 P=0.75 | 46.5×50.5×51.1 | 140 | Video Iris | 11 |
| H1212ER (C61219) | 12.0 | 1.2-360 | C | 16.94 | 22.60 | 30.19 | — | 43 P=0.75 | 46.5×50.5×51.1 | 140 | Video Iris | (11) |

2/3, 1 format

| | | | | | | | | | | | | |
|------------------|------|---------|---|-------|-------|-------|-------|-----------|----------------|-----|------------|------|
| C814E (C30821) | 8.0 | 1.4-360 | C | 25.10 | 33.22 | 43.67 | 58.25 | 43 P=0.75 | 46.5×50.5×51.1 | 140 | Video Iris | 11 |
| C814ER (C30820) | 8.0 | 1.4-360 | C | 25.10 | 33.22 | 43.67 | 58.25 | 43 P=0.75 | 46.5×50.5×51.1 | 140 | Video Iris | (11) |
| B1214E (C21223) | 12.5 | 1.4-360 | C | 16.22 | 21.55 | 28.54 | 38.69 | 43 P=0.75 | 46.5×50.5×47.5 | 140 | Video Iris | 11 |
| B1214ER (C21221) | 12.5 | 1.4-360 | C | 16.22 | 21.55 | 28.54 | 38.69 | 43 P=0.75 | 46.5×50.5×47.5 | 140 | Video Iris | (11) |
| C1614E (C31632) | 16.0 | 1.4-360 | C | 12.72 | 16.92 | 22.50 | 30.76 | 43 P=0.75 | 46.5×50.5×46.7 | 110 | Video Iris | 11 |
| C1614ER (C31631) | 16.0 | 1.4-360 | C | 12.70 | 16.92 | 22.50 | 30.76 | 43 P=0.75 | 46.5×50.5×46.7 | 110 | Video Iris | (11) |
| B2514E (C22527) | 25.0 | 1.4-360 | C | 8.23 | 10.97 | 14.62 | 20.09 | 43 P=0.75 | 46.5×50.5×51.8 | 140 | Video Iris | 12 |
| B2514ER (C22526) | 25.0 | 1.4-360 | C | 8.23 | 10.97 | 14.62 | 20.09 | 43 P=0.75 | 46.5×50.5×51.8 | 140 | Video Iris | (12) |
| B5018E (C25018) | 50.0 | 1.8-360 | C | 4.13 | 5.50 | 7.32 | 10.04 | 49 P=0.75 | 62×51 | 230 | Video Iris | 12 |
| B5018ER (C25017) | 50.0 | 1.8-360 | C | 4.13 | 5.50 | 7.32 | 10.04 | 49 P=0.75 | 62×51 | 230 | Video Iris | (12) |
| B7518AE (C27515) | 75.0 | 1.8-360 | C | 2.74 | 3.65 | 4.87 | 6.69 | 49 P=0.75 | 62×70.5 | 300 | Video Iris | 12 |

| MODEL | Focal length (mm) | Iris range | Mount | Horizontal Angle of View (°) | | | | Filter size | Dimensions (D×L) (W×H×L) mm | Weight (g) | Remarks | Page |
|-------|-------------------|------------|-------|------------------------------|------------|------------|------------|-------------|-----------------------------|------------|---------|------|
| | | | | 1/4 format | 1/3 format | 1/2 format | 2/3 format | | | | | |

● Pinhole Lens

1/3 format

| | | | | | | | | | | | | |
|------------------|-----|--------|----|-------|-------|---|---|---|----------------|----|---------|----|
| TS420PE (C70403) | 4.0 | 2.0-64 | CS | 51.24 | 68.47 | — | — | — | 36.5×42.3×65.9 | 79 | DC Iris | 12 |
|------------------|-----|--------|----|-------|-------|---|---|---|----------------|----|---------|----|

1/2 format

| | | | | | | | | | | | | |
|-----------------|-----|---------|---|-------|-------|-------|---|---|--------------|-----|-----------------|----|
| H620PE (C60626) | 6.2 | 2.0-300 | C | 32.44 | 42.82 | 56.12 | — | — | 39×45.5×83.2 | 100 | Video & DC Iris | 12 |
|-----------------|-----|---------|---|-------|-------|-------|---|---|--------------|-----|-----------------|----|

● Vari-Focal Lens

1/3 format

| | | | | | | | | | | | | |
|----------------------|---------|---------|----|-------------|-------------|---|---|---|----------------|-----|------------------------------|----|
| TS2V114E (C70100) | 1.6-3.4 | 1.4-64 | CS | 180-64.89 | 180-89.55 | — | — | — | 38.3×44.7×56.7 | 140 | Fish-Eye, DC Iris | 13 |
| TS2V214AED (C70220) | 2.8-6.0 | 1.4-300 | CS | 72.26-35.35 | 96.70-47.04 | — | — | — | 40.4×45.7×43.2 | 59 | Video & DC Iris, Day & Night | 13 |
| TS2V314CED (C70319) | 3.5-8.0 | 1.4-300 | CS | 60.52-26.54 | 82.41-35.42 | — | — | — | 38.3×44.7×44.2 | 52 | DC Iris | 13 |
| TS3V310 (C70316) | 3.0-8.0 | 1.0-C | CS | 68.98-26.44 | 93.22-35.26 | — | — | — | 36.2×44.4 | 47 | Manual Iris, Day&Night | 13 |
| TS3V310ED (C70315) | 3.0-8.0 | 1.0-360 | CS | 68.98-26.44 | 93.22-35.26 | — | — | — | 38.3×44.7×44.4 | 60 | Video & DC Iris, Day & Night | 13 |
| TS4V214ED (C70223) | 2.8-12 | 1.4-360 | CS | 71.82-18.05 | 93.29-23.50 | — | — | — | 43.0×51.5×63.5 | 83 | DC Iris | 14 |
| TS10V518AED (C70508) | 5.0-50 | 1.8-360 | CS | 37.80-4.14 | 50.00-5.52 | — | — | — | 44.5×50.8×61.5 | 140 | DC Iris | 14 |

1/2 format

| | | | | | | | | | | | | |
|--------------------|--------|---------|----|-------------|-------------|-------------|---|------------|----------------|----|------------------------------|----|
| HS2V616ED (C60635) | 6.0-12 | 1.6-300 | CS | 34.98-17.23 | 47.38-23.02 | 65.29-30.82 | — | 30.5 P=0.5 | 40.4×45.7×43.5 | 57 | Video & DC Iris, Day & Night | 14 |
|--------------------|--------|---------|----|-------------|-------------|-------------|---|------------|----------------|----|------------------------------|----|

● Manual Zoom Lens

1/3 format

| | | | | | | | | | | | | |
|----------------|--------|---------|----|------------|------------|---|---|-----------|-----------|-----|-----------------|----|
| TS6ZE (C70605) | 6.3-38 | 1.2-512 | CS | 31.26-5.59 | 41.12-7.43 | — | — | 49 P=0.75 | 57.5×77.8 | 320 | Video & DC Iris | 15 |
|----------------|--------|---------|----|------------|------------|---|---|-----------|-----------|-----|-----------------|----|

1/2 format

| | | | | | | | | | | | | |
|-----------------|--------|---------|---|------------|------------|------------|---|-----------|----------|-----|-----------------|----|
| H6Z810 (C60812) | 8.0-48 | 1.0-22 | C | 24.92-4.42 | 32.99-5.86 | 43.26-7.73 | — | 55 P=0.75 | 57×95 | 430 | Manual Iris | 15 |
| H6ZBE (C60811) | 8.0-48 | 1.0-720 | C | 24.92-4.42 | 32.98-5.86 | 43.24-7.73 | — | 55 P=0.75 | 69×64×95 | 465 | Video & DC Iris | 15 |

2/3 format

| | | | | | | | | | | | | |
|------------------|---------|---------|---|------------|------------|------------|------------|-----------|-------|-----|-------------|----|
| C6Z1218 (C31204) | 12.5-75 | 1.8-22 | C | 16.07-2.75 | 21.38-3.66 | 28.41-4.87 | 38.76-6.67 | 49 P=0.75 | 51×90 | 320 | Manual Iris | 15 |
| C6ZE (C31219) | 12.5-75 | 1.8-720 | C | 16.05-2.75 | 21.36-3.66 | 28.38-4.87 | 38.72-6.67 | 49 P=0.75 | 68×90 | 385 | Video Iris | 15 |

● Motorized Zoom Lens

1/3 format

| | | | | | | | | | | | | |
|---------------------|---------|---------|----|------------|------------|---|---|-----------|---------------|------|-----------------|----|
| TS6ZME (C70600) | 6.3-38 | 1.2-360 | CS | 31.26-5.59 | 41.12-7.43 | — | — | 49 P=0.75 | 58×63.5×78 | 410 | Video & DC Iris | 16 |
| TS10ZME (C70500) | 5.8-58 | 1.2-360 | CS | 33.77-3.62 | 44.07-4.78 | — | — | 49 P=0.75 | 64.6×70.3×85 | 380 | Video & DC Iris | 16 |
| TS10ZME-P (C70501) | 5.8-58 | 1.2-360 | CS | 33.77-3.62 | 44.07-4.78 | — | — | 49 P=0.75 | 64.6×70.3×85 | 430 | Video & DC Iris | 16 |
| TS15ZAME (C70624) | 6.0-90 | 1.2-430 | CS | 32.96-2.33 | 43.48-3.08 | — | — | 62 P=0.75 | 78×88.5×119 | 760 | Video & DC Iris | 17 |
| TS15ZAME-P (C70627) | 6.0-90 | 1.2-430 | CS | 32.96-2.33 | 43.48-3.08 | — | — | 62 P=0.75 | 78×88.5×119 | 770 | Video & DC Iris | 17 |
| TS20ZAME (C70904) | 9.0-180 | 1.2-510 | CS | 22.61-1.15 | 30.28-1.53 | — | — | 95 P=1.0 | 116×135×223.5 | 2540 | Video & DC Iris | 17 |
| TS20ZAME-P (C70906) | 9.0-180 | 1.2-510 | CS | 22.61-1.15 | 30.28-1.53 | — | — | 95 P=1.0 | 116×135×223.5 | 2540 | Video & DC Iris | 17 |

1/2 format

| | | | | | | | | | | | | |
|--------------------|---------|----------|----|------------|------------|------------|---|-----------|-----------------|------|-------------------------|----|
| HS6ZME (C60806) | 8.0-48 | 1.4-360 | CS | 24.81-4.39 | 32.78-5.82 | 42.88-7.69 | — | 49 P=0.75 | 58×63.5×78 | 400 | Video & DC Iris | 18 |
| H6ZBME (C60809) | 8.0-48 | 1.0-720 | C | 24.92-4.42 | 32.98-5.86 | 43.24-7.73 | — | 55 P=0.75 | 64×74.5×97 | 530 | Video & DC Iris | 18 |
| H6ZBME-P (C60810) | 8.0-48 | 1.0-720 | C | 24.92-4.42 | 32.98-5.86 | 43.24-7.73 | — | 55 P=0.75 | 64×74.5×97 | 540 | Video & DC Iris | 18 |
| HS10ZME (C60700) | 7.5-75 | 1.4-360 | CS | 26.15-2.83 | 34.52-3.75 | 45.05-4.95 | — | 58 P=0.75 | 67×75×112 | 580 | Video & DC Iris | 19 |
| H10ZME (C60701) | 7.5-75 | 1.2-512 | C | 26.45-2.84 | 34.94-3.77 | 45.63-4.99 | — | 62 P=0.75 | 70×80.5×121.5 | 715 | Video & DC Iris | 19 |
| H10ZME-P (C60702) | 7.5-75 | 1.2-512 | C | 26.45-2.84 | 34.94-3.77 | 45.63-4.99 | — | 62 P=0.75 | 70×80.5×121.5 | 740 | Video & DC Iris | 19 |
| H15ZAME (C60826) | 8.0-120 | 1.6-1000 | C | 24.76-1.76 | 32.85-2.34 | 43.37-3.09 | — | 62 P=0.75 | 78×88.5×134 | 800 | Video & DC Iris | 20 |
| H15ZAME-P (C60829) | 8.0-120 | 1.6-1000 | C | 24.76-1.76 | 32.85-2.34 | 43.37-3.09 | — | 62 P=0.75 | 78×88.5×134 | 810 | Video & DC Iris | 20 |
| H20ZAME (C61237) | 12-240 | 1.6-720 | C | 17.17-0.88 | 22.95-1.17 | 30.78-1.56 | — | 95 P=1.0 | 116×135×223.5 | 2590 | Video & DC Iris | 20 |
| H20ZAME-P (C61239) | 12-240 | 1.6-720 | C | 17.17-0.88 | 22.95-1.17 | 30.78-1.56 | — | 95 P=1.0 | 116×135×223.5 | 2620 | Video & DC Iris | 20 |
| H55ZME-F (C61233) | 12-1320 | 4.0-360 | C | 17.17-0.31 | 23.18-0.21 | 31.65-0.28 | — | 105 P=1.0 | 155×138×355 | 5400 | Video Iris | 21 |
| H18ZME-F (C60839) | 8.0-144 | 1.6-720 | C | 25.67-1.43 | 34.10-1.91 | 45.10-2.55 | — | — | 139.8×151.9×210 | 3840 | Video Iris, Day & Night | 21 |

2/3 format

| | | | | | | | | | | | | |
|--------------------|---------|---------|---|------------|------------|------------|------------|-----------|-----------------|-----|----------------|----|
| C6Z1218M3 (C31211) | 12.5-75 | 1.8-C | C | 16.08-2.75 | 21.40-3.66 | 28.44-4.87 | 38.82-6.67 | 49 P=0.75 | 101.5×92.2×94.5 | 820 | Motorized Iris | 22 |
| C6ZAME (C31220) | 12.5-75 | 1.8-720 | C | 16.07-2.75 | 21.36-3.66 | 28.38-4.87 | 38.72-6.67 | 49 P=0.75 | 101.5×92.2×94.5 | 620 | Video Iris | 22 |

● Board Camera Lens

1/4 format

| | | | | | | | | | | | | |
|------------------------|---------|---------|---------|-------------|---|---|---|---|----------------|----|----------------------|----|
| QD222E (C40214) | 2.3 | 2.2-128 | φ14 | 88.20 | — | — | — | — | 19×31×20.9 | 8 | DC Iris | 23 |
| QD320E (C40302) | 3.0 | 2.0-200 | φ14 | 69.14 | — | — | — | — | 19×31×18.2 | 8 | DC Iris | 23 |
| QD420E (C40402) | 4.0 | 2.0-200 | φ14 | 51.86 | — | — | — | — | 19×31×17.5 | 8 | DC Iris | 23 |
| QD2V2214AE (C40209) | 2.2-4.5 | 1.4-200 | φ14 | 93.36-45.75 | — | — | — | — | 29.6×37.3×32 | 27 | DC Iris | 23 |
| QD2V2814AE (C40208) | 2.8-5.8 | 1.4-200 | φ14 | 74.62-35.87 | — | — | — | — | 29.6×37.3×32.1 | 26 | DC Iris | 23 |
| QD2V2214BE-DN (C40216) | 2.2-4.5 | 1.4-200 | φ14 | 92.84-45.88 | — | — | — | — | 29.6×50.2×31.9 | 34 | DC Iris, Day & Night | 24 |
| QD2V2814BE-DN (C40217) | 2.8-5.8 | 1.4-200 | φ14 | 74.67-35.86 | — | — | — | — | 29.6×50.2×31.9 | 33 | DC Iris, Day & Night | 24 |
| QD3ZMED (C40219) | 2.8-7.3 | 1.9-200 | Special | 73.42-28.74 | — | — | — | — | 35.1×29.7×26.8 | 18 | DC Iris | 24 |

1/3 format

| | | | | | | | | | | | | |
|----------------------|---------|---------|-----|-------------|-------------|---|---|---|----------------|----|----------------------|----|
| TD3V314E-DN (C70318) | 3.0-8.0 | 1.4-300 | φ14 | 68.67-26.48 | 92.55-35.28 | — | — | — | 29.6×41.2×33.1 | 29 | DC Iris, Day & Night | 24 |
|----------------------|---------|---------|-----|-------------|-------------|---|---|---|----------------|----|----------------------|----|